

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922) 49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Сургут (3462)77-98-35
Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://frigomeccanica.nt-rt.ru> || fab@nt-rt.ru

Кондитерские витрины Twin. Технические характеристики



TWIN

frigomeccanica



L'EVOLUZIONE DEL MINIMAL


THE EVOLUTION OF MINIMAL



VETRINE

TWIN

PASTICCERIA
CONFECTIONERY / PATISSERIE / KONDITOREI / PASTELERÍA




Vetrina pasticceria professionale con basamento in tubolare d'acciaio verniciato con polveri epossidiche, piedini regolabili (a richiesta ruote). Scocca monoblocco schiumata con poliuretano iniettato (kg. 38-40 kg. Mc.) e rivestita internamente in acciaio inox. Castello vetri in tubolare di alluminio, vetri piani temprati e riscaldati, vetro frontale apribile verso il basso, illuminazione a LED, chiusura posteriore con tendina avvolgibile. N°2 mensole sulla pasticceria H. 137 – N°1 mensola su pasticceria H. 120. Impianto ventilato con evaporatore sottopiano, sbrinamento automatico, quadro elettrico con termostato elettronico, unità condensatrice ermetica monofase, evaporazione condensa in automatico su vetrina con motore interno, scarico condensa da collegare alla rete fognaria, quando la vetrina è con motore esterno. Classe climatica 4 (30°C - 55% U.R.). Temperatura di esercizio 0°+5° C.

Professional pastry showcase with tubular epoxy painted steel base, fi tting for wheels and adjustable feet (wheels on request). Enbloc body insulated with injected polyurethane (38-40 kg/m3) and lined with stainless steel. Glass superstructure in tubular aluminium, tempered, heated fl at glazing, downward-opening glass front, LED lighting, roller blind rear enclosure. 2 shelves on confectionery showcase H. 137 – 1 shelf on confectionery showcase H. 120. Forced-air refrigeration system with evaporator installed beneath display surfaces, automatic defrosting, electric control panel with thermostat, single-phase hermetic condenser, automatic showcase condensate evaporation with integral motor, condensate drain for connection to drainage system when showcase has remote motor. Climate class 4 (30°C - 55% U.R.). Operating temperature 0°+5° C.

TWIN


GELATERIA
ICE-CREAM / CREMES GLACEES / EISDIELE / HELADERÍA



Vetrina gelati professionale ventilata, castello vetri in tubolare inox, vetri piani temprati e riscaldati, vetro frontale apribile a ribalto verso il basso, illuminazione a led, chiusura posteriore con tendina avvolgibile; basamento metallico verniciato a polveri epossidiche con piedini regolabili (a richiesta ruote), impianto refrigerante con evaporatore sottopiano, sbrinamento automatico ad inversione di ciclo, quadro comandi con regolazione elettronica, unità condensatrice con doppio compressore monofase (un solo compressore sulla 12 vaschette), evaporazione condensa in automatico su vetrine con motore interno, scarico condensa da collegare alla rete quando la vetrina è con motore esterno. Utilizzabile con vaschette 36x16,5x12 (5lt) o da 36x25x12/8 (8/5lt).Classe climatica 4 (30-55% U.R.). Temperatura di esercizio -12 -18°C. N.B Quando non ci sono le vaschette non vengono forniti i traversini.

Professional ice cream showcase with tubular epoxy painted steel base, fi tting for wheels and adjustable feet (wheels on request).Enbloc body insulated with injected polyurethane (38-40 kg/m3) and lined with stainless steel. Glass superstructure in tubular aluminium, tempered, heated fl at glazing, downward-opening glass front, LED lighting, roller blind rear enclosure. Refrigeration system with evaporator installed beneath display surface, automatic reverse cycle defrosting, control panel with electronic regulation, condenser unit with twin single-phase compressors (single compressor on 12 tray showcase), automatic showcase condensate evaporation with integral motor, condensate drain for connection to drainage system when showcase has remote motor.For use with tubs of 36x16.5x12h. cm (5 lt.) or 36x25x12/8h. cm (8/5 lt.).Operating temperature -12 ° -18 ° C. Climate class 4 (30° - R.H. 55%).

TWIN piano inclinato / with inclined surface



TWIN vaschette / tubs > lt.5/7 360x165 mm





Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922) 49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Сургут (3462)77-98-35
Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://frigomeccanica.nt-rt.ru> || fab@nt-rt.ru